

## BIBLIOGRAPHY



# Bibliography

- [1] G. Schatz and A. Weidinger, *Nuclear methods and applications*, John Wiley and Sons Ltd., 1996.
- [2] R.L. Mössbauer, *Nuclear resonance fluorescence in Ir<sup>191</sup> for gamma rays*, Z. Physik **151** (1958), 124.
- [3] R.L. Mössbauer, *Nuclear resonance absorption of gamma rays in Ir<sup>191</sup>*, Naturwissenschaften **45** (1958), 538.
- [4] U. Gonser, *Topics in applied physics: Mössbauer spectroscopy*, Springer-Verlag, New York, 1975.
- [5] S.L. Ruby, *Mössbauer experiments without conventional sources*, J. de Phys. **35** (1974), C6–209.
- [6] E. Gerdau, R. Rüffer, H. Winkler, W. Tolksdorf, C.P. Klages, and J.P. Hannon, *Nuclear Bragg diffraction of synchrotron radiation in yttrium iron garnet*, Phys. Rev. Lett. **54** (1985), 835.
- [7] E. Gerdau, R. Rüffer, R. Hollatz, and J.P. Hannon, *Quantum beats from nuclei excited by synchrotron radiation*, Phys. Rev. Lett. **57** (1986), 1141.
- [8] R. Rüffer, E. Gerdau, R. Hollatz, and J.P. Hannon, *Nuclear Bragg scattering of synchrotron radiation pulses in a single-reflection geometry*, Phys. Rev. Lett. **58** (1987), 2359.
- [9] E. Gerdau, R. Rüffer, H.D. Rüter, and J.P. Hannon, *Recent theoretical and experimental development of Mössbauer effect with synchrotron radiation*, Hyp. Int. **40** (1988), 49.
- [10] J. Arthur, D.E. Brown, S.L. Ruby, and G.S. Brown, *Studying hyperfine fields with resonant nuclear diffraction of X-rays*, J. Appl. Phys. **67** (1990), 5704.
- [11] R. Rüffer, *Nuclear diffraction using synchrotron radiation*, Synchrotron Radiation News **5** (1992), 25.

- [12] E. Gerdau and U. van Bürck, *Nuclear resonant diffraction of synchrotron radiation - on the way from an exotic experiment to established spectroscopy*, in: Resonant Anomalous X-Ray Scattering, Theory and Applications, p. 589, Eds. G. Materlik, C.J. Sparks and K. Fischer, Elsevier Science B.V., North-Holland, 1994.
- [13] G.V. Smirnov, *Nuclear resonant scattering of synchrotron radiation*, Hyp. Int. 97/98 (1996), 551.
- [14] H. Kobayakawa and K. Huke, *Worldwide census of synchrotron radiation facilities*, Rev. Sci. Instrum. **60** (1989), 2548.
- [15] G.R. Hoy, J. Odeurs, and R. Coussement, *Nuclear resonant scattering using synchrotron radiation*, Hyp. Int. **120/121** (1999), 169.
- [16] G.T. Trammell and J.P. Hannon, *Quantum beats from nuclei excited by synchrotron pulses*, Phys. Rev. B **18** (1978), 165, Erratum: Phys. Rev. B **19** (1979), 3855.
- [17] R. Hollatz, R. Ruffer, and E. Gerdau, *Determination of hyperfine parameters using quantum beats*, Hyp. Int. **42** (1988), 1141.
- [18] W. Sturhahn, E. Gerdau, R. Hollatz, R. Ruffer, H.D. Rüter, and W. Tolksdorf, *Nuclear Bragg diffraction of synchrotron radiation at the 8.41 keV resonance of thulium*, Europhys. Lett. **14** (1991), 821.
- [19] E.E. Alp, T.M. Mooney, T.S. Toellner, W. Sturhahn, E. Witthoff, R. Röhlberger, E. Gerdau, H. Homma, and M. Kentjana, *Time resolved nuclear resonant scattering from  $^{119}\text{Sn}$  nuclei using synchrotron radiation*, Phys. Rev. Lett. **70** (1993), 3351.
- [20] A.Q.R. Baron, A.I. Chumakov, S.L. Ruby, J. Arthur, G.S. Brown, G.V. Smirnov, and U. van Bürck, *Nuclear resonant scattering of synchrotron radiation by gaseous krypton*, Phys. Rev. B **51** (1995), 16384.
- [21] D.E. Johnson, D.P. Siddons, J.Z. Larese, and J.B. Hastings, *Observation of nuclear forward scattering from  $^{83}\text{Kr}$  in bulk and monolayer films*, Phys. Rev. B **51** (1995), 7909.
- [22] A.I. Chumakov, A.Q.R. Baron, J. Arthur, S.L. Ruby, G.S. Brown, G.V. Smirnov, U. van Bürck, and G. Wortmann, *Nuclear scattering of synchrotron radiation by  $^{181}\text{Ta}$* , Phys. Rev. Lett. **75** (1995), 549.
- [23] O. Leupold, J. Pollmann, E. Gerdau, H.D. Rüter, G. Faigel, M. Tegze, G. Bortel, R. Ruffer, A.I. Chumakov, and A.Q.R. Baron, *Nuclear resonance scattering of synchrotron radiation at the 21.5 keV resonance of  $^{151}\text{Eu}$* , Europhys. Lett. **35** (1996), 671.
- [24] I. Koyama, Y. Yoda, X.W. Zhang, M. Ando, and S. Kikuta, *Nuclear resonant excitation of  $^{161}\text{Dy}$  and  $^{151}\text{Eu}$  by synchrotron radiation*, Jpn. J. Appl. Phys. **35** (1996), 6297.

- 
- [25] M. Seto, S. Kitao, Y. Kobayashi, R. Haruki, T. Mitsui, Y. Yoda, X.W. Zhang, and Yu. Maeda, *Nuclear resonance scattering of synchrotron radiation by  $^{40}\text{K}$* , Phys. Rev. Lett. **84** (2000), 566.
- [26] S. Nasu, *High pressure Mössbauer spectroscopy using a diamond anvil cell*, Hyp. Int. **90** (1994), 59.
- [27] S. Nasu, *High pressure experiments with synchrotron radiation*, Hyp. Int. **113** (1998), 97.
- [28] R. Coussement, S. Cottenier, and C. L'abbé, *Time-integrated nuclear resonant forward scattering of synchrotron radiation*, Phys. Rev. B **54** (1996), 16003.
- [29] *Advanced Photon Source Research*, Tech. Report ANL/APS/TB-31, ANL-East, Argonne, Illinois, April 1998.
- [30] E.E. Alp, T.M. Mooney, T. Toellner, and W. Sturhahn, *Nuclear resonant scattering beamline at the Advanced Photon Source*, Hyp. Int. **90** (1994), 323.
- [31] S. Yamamoto, T. Shioya, M. Hara, H. Kitamura, X.W. Zhang, T. Mochizuki, H. Sugiyama, and M. Ando, *Construction of an in-vacuum type undulator for production of undulator X-rays in the 5-25 keV region*, Rev. Sci. Instrum. **63** (1992), 400.
- [32] S. Yamamoto, X.W. Zhang, H. Kitamura, T. Shioya, T. Mochizuki, H. Sugiyama, and M. Ando, *In-vacuum undulator installed in a 6.5 GeV storage ring for producing brilliant 14.4 keV Mössbauer photons.*, J. Appl. Phys. **74** (1993), 500.
- [33] A. Snigirev, V. Kohn, I. Snigireva, and B. Lengeler, *A compound refractive lens for focussing high-energy X-rays*, Nature **384** (1996), 49.
- [34] T. Ishikawa, Y. Yoda, K. Izumi, C.K. Suzuki, X.W. Zhang, M. Ando, and S. Kikuta, *Construction of a precision diffractometer for nuclear Bragg scattering at the Photon Factory*, Rev. Sci. Instrum. **63** (1992), 1015.
- [35] T.S. Toellner, T. Mooney, S. Shastri, and E.E. Alp, *High energy resolution, high angular acceptance crystal monochromator*, SPIE **1740** (1992), 218.
- [36] D.P. Siddons, U. Bergmann, and J.B. Hastings, *Time-dependent polarization in Mössbauer experiments with synchrotron radiation: suppression of electronic scattering*, Phys. Rev. Lett. **70** (1993), 359.
- [37] T.S. Toellner, E.E. Alp, W. Sturhahn, T.M. Mooney, X. Zhang, M. Ando, Y. Yoda, and S. Kikuta, *Polarizer/analyzer filter for nuclear resonant scattering of synchrotron radiation*, Appl. Phys. Lett. **67** (1995), 1993.

- [38] A.Q.R. Baron, R. Rüffer, and J. Metge, *A fast, convenient, X-ray detector*, Nucl. Instr. and Meth. in Phys. Res. A **400** (1997), 124.
- [39] A.Q.R. Baron and S.L. Ruby, *Time resolved detection of X-rays using large area avalanche photodiodes*, Nucl. Instr. and Meth. in Phys. Res. A **343** (1994), 517.
- [40] A.Q.R. Baron, *Report on the X-ray efficiency and time response of a 1 cm<sup>2</sup> reach through avalanche diode*, Nucl. Instr. and Meth. in Phys. Res. A **352** (1995), 665.
- [41] S. Kishimoto, *Bunch-purity measurements of synchrotron X-ray beams with an avalanche photodiode detector*, Nucl. Instr. and Meth. in Phys. Res. A **351** (1994), 554.
- [42] J. Metge, R. Rüffer, and E. Gerdau, *A  $\gamma$ -ray detector with good time resolution and high signal-to-noise ratio*, Nucl. Instr. and Meth. in Phys. Res. A **292** (1990), 187.
- [43] S. Kishimoto, *High time resolution X-ray measurements with an avalanche photodiode detector*, Rev. Sci. Instrum. **63** (1992), 824.
- [44] S. Kishimoto, *An avalanche photodiode detector for X-ray timing measurements*, Nucl. Instr. and Meth. in Phys. Res. A **309** (1991), 603.
- [45] T.S. Toellner, W. Sturhahn, E.E. Alp, P.A. Montano, and M. Ramanathan, *Avalanche photodiodes as large dynamic range detectors for synchrotron radiation*, Nucl. Instr. and Meth. in Phys. Res. A **350** (1994), 595.
- [46] W.R. Leo, *Techniques for nuclear and particle physics experiments: a how-to approach*, 2nd ed., Springer-Verlag, London, 1994.
- [47] J. Odeurs, R. Coussement, C. L'abbé, G. Neyens, G.R. Hoy, E.E. Alp, W. Sturhahn, T.S. Toellner, and C. Johnson, *Time-integrated energy domain measurements with synchrotron radiation*, Hyp. Int. **113** (1998), 455.
- [48] J. Odeurs, R. Coussement, C. L'abbé, G. Neyens, and S. Cottenier, *Detection of nuclear resonant scattering of synchrotron radiation by interference with a variable reference frequency*, in: Proceedings of the International Conference on Lasers'96, p. 239, ed. V.J. Corcoran and T.A. Goldman, STS Press, McLean, 1997.
- [49] J.P. Hannon and G.T. Trammell, *Mössbauer diffraction. II Dynamical theory of Mössbauer optics*, Phys. Rev. **186** (1969), 306.
- [50] A. Q. R. Baron, *Resonant nuclear scattering of synchrotron radiation: Detector development and specular scattering from a thin layer of <sup>57</sup>Fe.*, Tech. Report SLAC 95-463, Stanford Linear Accelerator Center, Stanford University, California, April 1995.

- 
- [51] M.E. Rose, *Elementary theory of angular momentum*, John Wiley & Sons, Inc., New York, 1957.
- [52] R. Coussement, J. Odeurs, C. L'abbé, and G. Neyens, *Heterodyne detection of synchrotron radiation*, in: Nuclear Resonance Scattering, p. 113, eds. E. Gerdau and H. de Waard, Baltzer Science Publisher, Oxford, 2000.
- [53] S.B. Palmer and M.S. Rogalski, *Advanced University Physics*, Gordon and Breach Publishers, Amsterdam, Netherlands, 1996.
- [54] K.J. Duff, K.C. Mishra, and T.P. Das, *Ab initio determination of  $^{57}\text{Fe}^m$  quadrupole moment from Mössbauer data*, Phys. Rev. Lett. **46** (1981), 1611.
- [55] C. L'abbé, *Tijdsgeïntegreerde nucleaire resonante voorwaartse verstrooiing van synchrotronstraling*, Master's thesis, Instituut voor Kern- en Stralingsfysica, K.U.Leuven, Belgium, 1996.
- [56] D.W. Hamill and G.R. Hoy, *Coincidence-Mössbauer spectroscopy*, Phys. Rev. Lett. **21** (1968), 724.
- [57] G.V. Smirnov, U. van Bürck, A.I. Chumakov, A.Q.R. Baron, and R. Rüffer, *Synchrotron Mössbauer source*, Phys. Rev. B **55** (1997), 5811.
- [58] G.R. Hoy and P.P. Wintersteiner, *Observation of a time-dependent recoilless fraction*, Phys. Rev. Lett. **28** (1972), 877.
- [59] J.Z. Tischler, B.C. Larson, L.A. Boatner, E.E. Alp, and T. Mooney, *Time-sliced Mössbauer absorption spectroscopy using synchrotron radiation and a resonant Bragg monochromator*, J. Appl. Phys. **79** (1996), 3686.
- [60] F.J. Lynch, R.E. Holland, and M. Hamermesh, *Time dependence of resonantly filtered gamma rays from  $\text{Fe}^{57}$* , Phys. Rev. **120** (1960), 513.
- [61] H. Jeffreys and B.S. Jeffreys, *Methods of mathematical physics*, Cambridge University Press, 1946.
- [62] Yu. Kagan, A.M. Afanas'ev, and V.G. Kohn, *On excitation of isomeric nuclear states in a crystal by synchrotron radiation*, J. Phys. C **12** (1979), 615.
- [63] G.R. Hoy, *Quantum mechanical model for nuclear-resonant scattering of gamma radiation*, J. Phys.: Condens. Matter **9** (1997), 8749.
- [64] C. L'abbé, R. Coussement, J. Odeurs, E.E. Alp, W. Sturhahn, T.S. Toellner, and C. Johnson, *Experimental demonstration of time-integrated synchrotron-radiation spectroscopy with crossed polarizer and analyzer*, Phys. Rev. B **61** (2000), 4181.

- [65] E. Sturhahn and E. Gerdau, *Evaluation of time-differential measurements of nuclear-resonance scattering of X rays*, Phys. Rev. B **49** (1994), 9285.
- [66] H. Spiering, L. Deak, and L. Bottyan, *EFFINO*, in: Nuclear Resonance Scattering, p. 197, eds. E. Gerdau and H. de Waard, Baltzer Science Publisher, Oxford, 2000.
- [67] J.P. Hannon, G.T. Trammell, M. Mueller, E. Gerdau, H. Winkler, and R. Ruffer, *Impedance-matched grazing incidence films: Pure nuclear reflections, resonant filtering of synchrotron radiation, and X-ray interferometry*, Phys. Rev. Lett. **43** (1979), 636.
- [68] J.P. Hannon, N.V. Hung, G.T. Trammell, E. Gerdau, M. Mueller, R. Ruffer, and H. Winkler, *Grazing-incidence antireflection films. I. Basic theory*, Phys. Rev. B **32** (1985), 5068.
- [69] J.P. Hannon, N.V. Hung, G.T. Trammell, E. Gerdau, M. Mueller, R. Ruffer, and H. Winkler, *Grazing-incidence antireflection films. II. Alternate techniques and general multilayer theory*, Phys. Rev. B **32** (1985), 5081.
- [70] J.P. Hannon, G.T. Trammell, M. Mueller, E. Gerdau, R. Ruffer, and H. Winkler, *Grazing-incidence antireflection films. III. General theory for pure nuclear reflections*, Phys. Rev. B **32** (1985), 6363.
- [71] J.P. Hannon, G.T. Trammell, M. Mueller, E. Gerdau, R. Ruffer, and H. Winkler, *Grazing-incidence antireflection films. IV. Application to Mössbauer filtering of synchrotron radiation*, Phys. Rev. B **32** (1985), 6374.
- [72] G.V. Smirnov, V.V. Mostovoi, Yu. Shvyd'ko, V.N. Seleznev, and V.V. Rudenko, *Suppression of a nuclear reaction in  $Fe^{57}BO_3$  crystal*, JETP **51** (1980), 603.
- [73] U. van Bürck, R.L. Mössbauer, E. Gerdau, R. Ruffer, R. Hollatz, G.V. Smirnov, and J.P. Hannon, *Nuclear Bragg scattering of synchrotron radiation with strong speedup of coherent decay, measured on antiferromagnetic  $^{57}FeBO_3$* , Phys. Rev. Lett. **59** (1987), 355.
- [74] G. Faigel, D.P. Siddons, J.B. Hastings, P.E. Haustein, J.R. Grover, and L.E. Berman, *Observation of the full time evolution of the nuclear collective-decay mode in crystalline  $^{57}Fe_2O_3$  excited by synchrotron radiation*, Phys. Rev. Lett. **61** (1988), 2794.
- [75] Yu. Kagan, A.M. Afanas'ev, and I.P. Perstnev, *Theory of resonance Bragg scattering of  $\gamma$ -quanta by regular crystals*, JETP **27** (1968), 819.
- [76] J.P. Hannon and G.T. Trammell, *Mössbauer diffraction. I Quantum theory of gamma-ray and X-ray optics*, Phys. Rev. **169** (1968), 315.



- 
- [77] U. van Bürck, G.V. Smirnov, R.L. Mössbauer, and Th. Hertrich, *Pure nuclear broad-band reflection of Mössbauer radiation*, J. Phys.: Condens. Matter **2** (1990), 3989.
- [78] A.I. Chumakov, G.V. Smirnov, S.S. Andreev, N.N. Salashchenko, and S.I. Shinkarev, *Purely nuclear diffraction of  $\gamma$  radiation in a resonant multilayer mirror*, JETP Lett. **55** (1992), 509.
- [79] A.I. Chumakov, G.V. Smirnov, A.Q.R. Baron, J. Arthur, D.E. Brown, S.L. Ruby, G.S. Brown, and N.N. Salashchenko, *Resonant diffraction of synchrotron radiation by a nuclear multilayer*, Phys. Rev. Lett. **71** (1993), 2489.
- [80] T.S. Toellner, W. Sturhahn, R. Röhlberger, E.E. Alp, C.H. Sowers, and E.E. Fullerton, *Observation of pure nuclear diffraction from a Fe/Cr antiferromagnetic multilayer*, Phys. Rev. Lett. **74** (1995), 3475.
- [81] G. Neyens, J. Odeurs, R. Coussemont, C. L'abbé, S. Cottenier, and J. Ladrrière, *Energy-resolved Mössbauer spectroscopy with broad-band synchrotron radiation*, Hyp. Int. **111** (1998), 341.
- [82] A.I. Chumakov and G.V. Smirnov, *Nuclear-resonance monochromator for synchrotron radiation using a multilayer  $^{57}\text{Fe}$ - $^{56}\text{Fe}$  structure*, JETP Lett. **53** (1991), 271.
- [83] G.V. Smirnov, *On heterodyne Mössbauer spectroscopy*, Tech. Report V/1998/01/GO, Instituut voor Kern- en Stralingsfysica, Katholieke Universiteit Leuven, Belgium, June 1998.
- [84] P.H. Bucksbaum and R. Merlin, *The phonon Bragg switch: a proposal to generate sub-picosecond X-ray pulses*, Solid State Communications **111** (1999), 535.
- [85] C.K. Suzuki, X.W. Zhang, M. Ando, Y. Yoda, T. Ishikawa, S. Kikuta, T. Harami, H. Shiwaku, and H. Ohno, *Synchrotron radiation time gate quartz device for nuclear resonant scattering*, Rev. Sci Instrum. **66** (1995), 2235.
- [86] Y. Hasegawa and S. Kikuta, *Mixture of two interfering beams in an X-ray interferometry*, Z. Phys. B **93** (1994), 133.
- [87] Y. Hasegawa, Y. Yoda, K. Izumi, T. Ishikawa, S. Kikuta, X. Zhang, H. Sugiyama, and M. Ando, *Time-delayed interferometry with nuclear resonant scattering of synchrotron radiation*, Jpn. J. Appl. Phys. **33** (1994), L772.
- [88] Y. Hasegawa, Y. Yoda, K. Izumi, T. Ishikawa, S. Kikuta, X.W. Zhang, and M. Ando, *Phase transfer in time-delayed interferometry with nuclear resonant scattering*, Phys. Rev. Lett. **75** (1995), 2216.

- [89] Y. Hasegawa and S. Kikuta, *Apparent destruction of interference by use of a partial absorber in X-ray interferometry*, Jpn. J. Appl. Phys. **30** (1991), L316.
- [90] P. Hariharan, *Optical holography: Principles, techniques and applications*, Cambridge studies in modern optics, vol. 2, Cambridge University Press, New York, 1987.
- [91] D. Gabor, *A new microscopic principle*, Nature **161** (1948), 777.
- [92] E.N. Leith and J. Upatnieks, *Reconstructed wavefronts and communication theory*, J. Opt. Soc. Amer. **52** (1962), 1123.
- [93] E.N. Leith and J. Upatnieks, *Wavefront reconstruction with continuous-tone objects*, J. Opt. Soc. Amer. **53** (1963), 1377.
- [94] Yu.N. Denisyuk, *Photographic reconstruction of the optical properties of an object in its own scattered radiation field*, Sov. Phys. **7** (1962), 543.
- [95] Yu.N. Denisyuk, *On the reproduction of the optical properties of an object by the wave field of its scattered radiation*, Optics and spectroscopy **15** (1963), 279.
- [96] Yu.N. Denisyuk, *On the reproduction of the optical properties of an object by the wave field of its scattered radiation II*, Optics and spectroscopy **18** (1965), 152.
- [97] S.A. Benton, *Hologram reconstructions with extended incoherent sources*, J. Opt. Soc. Amer. **59** (1969), 1545.
- [98] A. Szöke, *X-ray and electron holography using a local reference beam*, in: Short wavelength coherent radiation: generation and applications, p. 361, ed. D.T. Attwood and J. Boker, AIP, New York, 1986.
- [99] G.R. Harp, D.K. Saldin, and B.P. Tonner, *Atomic-resolution electron holography in solids with localized sources*, Phys. Rev. Lett. **65** (1990), 1012.
- [100] J.J. Barton, *Photoelectron holography*, Phys. Rev. Lett. **61** (1988), 1356.
- [101] D.K. Saldin and P.L. de Andres, *Holographic LEED*, Phys. Rev. Lett. **64** (1990), 1270.
- [102] S.Y. Tong, H. Huang, and C.M. Wei, *Method for spatially resolved imaging of energy-dependent photoelectron diffraction*, Phys. Rev. B **46** (1992), 2452.
- [103] L.J. Terminello, J.J. Barton, and D.A. Lapiano-Smith, *Holographic imaging of atoms using multiple-wave-number electron angular distribution patterns*, Phys. Rev. Lett. **70** (1993), 599.

- 
- [104] S. Thevuthasan, R.X. Ynzunza, E.D. Tober, C.S. Fadley, A.P. Kaduwela, and M.A. Van Hove, *High-energy photoelectron holography for an adsorbate test system:  $c(2 \times 2)S$  on  $Ni(0\ 0\ 1)$* , Phys. Rev. Lett. **70** (1993), 595.
- [105] H. Li, S.Y. Tong, D. Naumovic, A. Stuck, and J. Osterwalder, *Direct atomic structure by multiple-energy inversion of experimental forward-scattering-photoelectron and Auger-electron-diffraction data*, Phys. Rev. B **47** (1993), 10036.
- [106] H. Wu, G.J. Lapeyre, H. Huang, and S.Y. Tong, *New experimental technique for determining real-space atomic images applied to Aluminum adsorbed on Silicon(1 1 1)*, Phys. Rev. Lett. **71** (1993), 251.
- [107] C.M. Wei, S.Y. Tong, H. Wedler, M.A. Mendez, and K. Heinz, *Direct structural determination by inversion of experimental diffuse low-energy electron diffraction intensities*, Phys. Rev. Lett. **72** (1994), 2434.
- [108] L.S. Caputi, O. Comite, A. Amoddeo, G. Chiarello, S. Scalese, E. Colavita, and L. Papagno, *Surface holography by angle-resolved electron-energy-loss spectroscopy*, Phys. Rev. Lett. **77** (1996), 1059.
- [109] P.M. Len, S. Thevuthasan, C.S. Fadley, A.P. Kaduwela, and M.A. Van Hove, *Atomic imaging by X-ray-fluorescence holography and electron-emission holography: A comparative theoretical study*, Phys. Rev. B **50** (1994), 11275.
- [110] M. Tegze and G. Faigel, *Atomic-resolution X-ray holography*, Europhys. Lett. **16** (1991), 41.
- [111] M. Tegze and G. Faigel, *X-ray holography with atomic resolution*, Nature **380** (1996), 49.
- [112] G. Faigel and M. Tegze, *X-ray holography with atom resolution*, Europhys. News **27** (1996), 179.
- [113] T. Gog, P.M. Len, G. Materlik, D. Bahr, C.S. Fadley, and C. Sanchez-Hanke, *Multiple-energy X-ray holography: atomic images of hematite ( $Fe_2O_3$ )*, Phys. Rev. Lett. **76** (1996), 3132.
- [114] J.J. Barton, *Removing multiple scattering and twin images from holographic images*, Phys. Rev. Lett. **67** (1991), 3106.
- [115] P. Korecki, J. Korecki, and T. Slezak, *Atomic resolution  $\gamma$ -ray holography using the Mössbauer effect*, Phys. Rev. Lett. **79** (1997), 3518.
- [116] W. Heitler, *The quantum theory of radiation*, 3rd ed., Oxford University Press, 1954.

- [117] S.M. Harris, *Quantum mechanical calculation of Mössbauer transmission*, Phys. Rev. **124** (1961), 1178.
- [118] J. Odeurs, R. Coussement, and C. L'abbé, *Quantum mechanical theory of the formation of a nuclear emission hologram*, Phys. Rev. B **60** (1999), 7140.
- [119] J. Odeurs, G.R. Hoy, and C. L'abbé, *Enhanced resolution in Mössbauer spectroscopy*, J. Phys.: Condens. Matter **12** (2000), 637.
- [120] R. Callens, *Nucleaire emissieholografie*, Master's thesis, Instituut voor Kern- en Stralingsfysica, K.U.Leuven, Belgium, 1999.
- [121] J.P. Hannon, N.J. Carron, and G.T. Trammell, *Mössbauer diffraction. III. Emission of Mössbauer  $\gamma$  rays from crystals. A. General theory*, Phys. Rev. B **9** (1974), 2791.
- [122] J.P. Hannon, N.J. Carron, and G.T. Trammell, *Mössbauer diffraction. III. Emission of Mössbauer  $\gamma$  rays from crystals. B. Dynamical solutions*, Phys. Rev. B **9** (1974), 2810.
- [123] W. Kossel, V. Loeck, and H. Voges, *Die Richtungsverteilung der in einem Kristall entstandenen Charakteristischen Röntgenstrahlung*, Z. Phys. **94** (1935), 139.
- [124] S. Marchesini, M. Belakhovsky, A.Q.R. Baron, G. Faigel, M. Tegze, and P. Kamp, *Standing waves and Kossel line patterns in structure determination*, Solid State Communications **105** (1998), 685.
- [125] P. Korecki, J. Korecki, and W. Karas, *Holography with  $\gamma$  rays: Simulations versus experiment for  $\alpha$ - $^{57}\text{Fe}$* , Phys. Rev. B **59** (1999), 6139.
- [126] S. Degroote, *Epitaxiale groei van transitimetalaal silicides met behulp van moleculaire bundel epitaxie*, PhD thesis, Instituut voor Kern- en Stralingsfysica, K.U.Leuven, Belgium, 1998.
- [127] J.F. Ziegler and J.M. Manoyan, *The stopping of ions in compounds*, Nucl. Instr. Meth. in Phys. Res. B **35** (1988), 215.
- [128] R.B. Firestone, *Table of isotopes*, 8th ed., vol. I, John Wiley & Sons, Inc, New York, 1996.
- [129] S.Y. Tong, C.M. Wei, T.C. Zhao, H. Huang, and H. Li, *Phase-shift correction in three-dimensional imaging using forward-scattering photoemission and Auger spectroscopies*, Phys. Rev. Lett. **66** (1991), 60.
- [130] B.P. Tonner, Z.L. Han, G.R. Harp, and D.K. Saldin, *Scattered-wave integral-transform method of holographic-image reconstruction from forward-scattering diffraction patterns*, Phys. Rev. B **43** (1991), 14423.

- [131] S. Wieder, *Introduction to Mathcad for scientists and engineers*, McGraw Hill, New York.
- [132] K. Des Rues, *Explorations in Mathcad*, Addison-Wesley, Reading.
- [133] L. Mandel and E. Wolf, *Optical coherence and quantum optics*, Cambridge University Press, New York, 1995.
- [134] W.H. Louisell, *Quantum statistical properties of radiation*, Wiley, New York, 1973.